Estuaries Vol. 20, No. 4, p. 823–824 December 1997

Author Index, Volume 20

Al-Barakati, A., 559
Alphin, T. D., 42
Angermeier, P. L., 779
Arias, A. M., 677
Ayvazian, S. G., 601

Ball, B., 430
Barans, C. A., 467
Baskaran, M., 404
Béchemin, C., 416
Bercovitch, J., 689
Berland, B. R., 416
Bernhard, A. E., 759
Bianchi, T. S., 404
Boireau, A., 281
Bowers, D. G., 559
Boyd, M. J., 770
Boyer, J. N., 743
Boynton, W. R., 262
Bréret, M., 416
Bruland, K. W., 66
Buonaccorsi, J., 601

Caraco, N. F., 481
Carlson, L., 547
Castagna, M., 465
Cerco, C. F., 231
Cezilly, F., 646
Chaillou, J. C., 319
Chase, P., 689
Cheng, G., 14
Childers, D. L., 465
Chmura, G. L., 689
Cifuentes, L. A., 725
Cole, J. J., 381
Coops, H., 504
Cornwell, J. C., 77
Crivelli, A., 646

Dauer, D. M., 149
Day, Jr., J. W., 656
de Meeûs, T., 646
De Luca, N., 301
DeAngelo, E., 328
Deegan, L. A., 601
DeLord, J., 404
Dennison, W. C., 521
Diaz, R. J., 149
Dorf, B. A., 589
Douglas, D., 430
Drake, P., 677

Eldridge, P. M., 725
Emmerson, R. H. C., 494
Eskin, R. A., 319
Eugelink, G., 291
Ewing, K., 48

Fernandes, M. B., 281
Finn, J. T., 601
Foote, A. L., 301, 579
Fourqurean, J. W., 743
Franz, D. R., 134
Frithsen, J. B., 149

Gara, R. I., 441
Gaston, G. R., 655
Genders, A. J., 807
Geyer, W. R., 262
Giblin, A. E., 346
Gong, W. K., 103
Greenlaw, C. F., 467
Greulick, F. E., 441
Grout, J. A., 96

Halpin, P. M., 618
Halvorson, W. L., 249
Hanson, P. J., 659
Holliday, D. V., 467
Holt, S. A., 450
Hopkinson, C. S., 346
Houde, E. D., 174
Hsieh, Y. P., 640

Jay, D. A., 262
Jiann, K.-T., 710
Jones, R. C., 86
Jones, R. D., 743
Jönsson, B., 547

Kaly, U. L., 291
Kannan, K., 700
Kelly, J. R., 365, 626
Kelso, D. P., 86
Kittelson, P. M., 770
Kneib, R. T., 214
Kransow, L. D., 534
Kuhn, N. L., 391
Kutz, F. W., 319

Largier, J., 262
Latimer, J. S., 658
Lee, R. F., 700
Lester, J. N., 483, 494
Levings, C. D., 96
Liu, M. G., 110
Liu, S. M., 110
Loganathan, B. G., 700

MacLeod, C. L., 483, 494
Maestrini, S. Y., 416
Mannino, A., 159
Maruya, K. A., 700
Maxted, J. R., 319
McCumber-Kahn, S., 700
McKee, K. L., 48
Mendelssohn, I. A., 48
Miller, J. A., 792
Minello, T. J., 199
Montagna, P. A., 159

Newell, C., 14
Nilsson, C., 547
Nixon, S. W., 253
Nowicki, B. L., 626
Nyman, R. M., 174

O'Connell, A. M. (Uzee), 779
O'Donnell, J., 328
O'Donohue, M. J. H., 521
Ong, J. E., 103
Onuf, C. P., 450

Panchang, V., 14
Pearce, M. W., 124
Peele, E. R., 759
Phinney, J. T., 66
Poletti, R., 416
Portnoy, J. W., 569
Posey, M. H., 42
Powell, C. M., 42
Powell, J. C., 589
Power, J. H., 312
Presley, B. J., 710

Rabalais, N. N., 655
Raine, R., 430
Ranasinghe, J. A., 149
Ravichandran, M., 404
Raymond, P. A., 381
Reed, D. J., 301
Renaud, F., 646
Requintina, E., 626
Reynolds, K. A., 579
Richardson, J. S., 96
Rinaldi, A., 416
Ripley, K. L., 441
Robertson, A. I., 291
Roelke, D. L., 725
Rozas, L. P., 199
Rutherford, E. S., 174
Ryder-Kieffer, C. A., 601

Schaffner, L. C., 149
Schumann, E. H., 124
Seitzinger, S. P., 231
Sicre, M.-A., 281
Simenstad, C. A., 792
Simpson, J. H., 103
Smit, H., 504
Smits, R., 504
Soniat, T. M., 250
Stender, B. W., 467
Stevenson, L. H., 657
Streever, W. J., 807
Stribling, J. M., 77
Sundbäck, K., 547

Taghon, G. L., 534
Thomas, F., 646
Thorp, A. G., 86
Tolan, J. M., 450
Torgersen, T., 328
Tronczynski, J., 281
Tucker, J., 346
Turner, R. E., 1, 250

Uncles, R. J., 262

Valiela, I., 569

© 1997 Estuarine Research Federation

Vallino, J., 262
van der Velde, G., 504
Van Keuren, D., 626

Weisberg, S. B., 149, 319
Wiese, S. B. O'Reilly, 483, 494
Winkler, M. G., 249
Wooster, W. S., 251
Wulff, A., 547

Xu, H., 110

Yang, C. H., 640
Yu, Z. G., 110

Zedler, J. B., 391
Zhang, J., 110

Estuaries Vol. 20, No. 4, p. 825–829 December 1997

Subject Index, Volume 20

Abra ovala, 677
Abramis brama, 504
accretion, 579
acenaphthene, 700
acenaphthylene, 700
Achirus lineatus, 450
acidity, 569
acoustic backscattering, 467
Adriatic Sea, 416
aeration, 569
aging fish, 792
aldrin, 700
alewife, 779
algae, 66
algal community, 231
algal growth potential, 416
alkaline phosphatase, 743
alkalinity, 569
n-alkanes, 700
Alkmaria sp., 677
allochthonous sources, 77
Alosa aestivalis, 779
Alosa fallax, 504
Alosa pseudoharengus, 779
alpha diversity, 646
Alpheus heterochaelis, 149
aluminum, 494
Amaranthus cannabinus, 77
American oyster, 710
ammonia, 110, 159, 231, 365, 569, 743, 759
ammonium, 48, 319, 346, 504
Ampelisca abdita-vadorum, 319
Anadara ovalis, 149
Anadara transversa, 149
Anas penelope, 504
Anchoa hepsetus, 77, 450
Anchoa mitchilli, 450
Anchoa sp., 450
anchovy, 450
anoxia, 579, 601
anoxic conditions, 483
Anser anser, 504
anthracene, 700
anthropogenic activities, 547
anthropogenic effects, 291, 301, 319
Apalachicola Bay, Florida, 659
aquaculture, 677
aquaculture waste, 14
Arcata Bay, California, 770
areal productivities, 521
aromatic hydrocarbons, 281
arsenic, 659, 710
Asabellides oculata, 149
Assawoman Bay, Maryland, 319
Asychis elongata, 149
Atherinidae spp., 450
Atlantic croaker, 659
Atlantic leatherjacket, 450
Atlantic menhaden, 77
Atlantic thread herring, 450
atmospheric flux, 381
atmospheric nitrogen deposition, 253
Atriplex australasica, 807
Aulodrilus limnobius, 149
Aulodrilus paucichaeta, 149
Aulodrilus pigueti, 149
Aulodrilus pluriseta, 149
Avicennia marina, 807
Aythya fuligula, 504

Back Bay of Biloxi, Mississippi, 700
bacteria, 534, 547
Bailey's Creek, Australia, 291
Bairdiella chrysoura, 77, 450
banded killifish, 77
Bankia setacea, 441
Barataria Basin, Louisiana, 301, 579
Barataria Bay, Louisiana, 659
Batrachobdella, 86
bay anchovy, 450
Bay of Cadiz, Spain, 677
Bay of Fundy, Canada, 689
Bayou Lafourche, Louisiana, 700
Bayou Terrebone, Louisiana, 700
benthic algae, 231
benthic community, 677
benthic diatoms, 547
benthic flux, 365
benthic index, 149
benthic meiofauna, 467
benthic metabolism, 346
benthic microalgae, 77
benzo[a]anthracene, 700
benzo[a]pyrene, 700
benzo[b]fluoranthene, 700
benzo[e]pyrene, 700
benzo[ghi]pyrelene, 700
benzo[k]fluoranthene, 700
Bhawania heteroseta, 149
Biffarius biformis, 149
bioassay(s), 66, 416
biochemical oxygen demand, 430
biogenic hydrocarbons, 281
biogeochemical cycling, 569
bionindicators, 48
biological diversity, 646
biomass, 416
biomass accumulation, 759
biotic integrity, 149
biovolume density, 467
biphenyl, 700
Bithynia, 86
bivalve culture, 430
Blenniidae sp., 450
Blenniidae spp., 450
blue crab, 77
blueback herring, 779
Boccardia sp., 42
Boston Harbor, Massachusetts, 346, 365, 626, 659
Bothrioneurum vejdovskyanum, 149
bottom water, 328
boundary interactions, 807
Brachycercus, 86
Branta leucopsis, 504
Brevoortia patronus, 450
Brevoortia tyrannus, 77
Bruguiera gymnorrhiza, 291
buffalo grass, 807
burned sites, 48
Burnett Bay, Texas, 700
Buttermilk Bay, Massachusetts, 601
Buzzards Bay, Massachusetts, 659

C3 macrophytes, 77
C4 macrophytes, 77
cadmium, 319, 483, 494, 659, 710
Caenis, 86
Caillou Bay, Louisiana, 700
Cainocreadium labracis, 646
Calidris alpina, 504
Callianassa setimanus, 149
Callibaetis, 86
Callinectes sapidus, 77, 214
Cape Code Bay, Massachusetts, 626
Capitella capitata, 677
Capitella sp., 149, 319
carbofenothion, 700
carbon, 262, 291, 579
carbon cycle, 381, 404
carbon dioxide, 381
carbon isotopes, 77
Carcinus maenas, 646
Carex lyngbyei, 96
Carlingford Lough, Ireland, 430
carotenoids, 404
Casco Bay, Maine, 659
catch efficiency, 199
Cerastoderma glaucum, 677
Ceratophyllum dermersum, 86
Ceriantheopsis americanus, 149
Ceriops tagal, 291
Cerithidia californica, 646
Chaetopterus variopedatus, 149
chain pipefish, 450
Charleston Harbor, South Carolina, 312, 659
Chehalis River, Washington, 792
Chesapeake Bay, 77, 149, 174, 262, 312, 365, 659
Chincoteague Bay, Maryland, 319
chinook salmon, 792
Chironomidae sp., 86
Chironomidae sp., 42
Chironomus salinarius, 677
Chironomus sp., 149
chlordanes, 659, 700
chloride, 640
chloride ions, 569
chlorinated hydrocarbons, 659
chlorinated organics, 700
chlorophyll, 231
chlorophyll *a*, 159, 365, 381, 404, 430, 504, 521, 547, 601, 743
chlorophylls, 404
chlorpyrifos (Dursban), 700
Choctawhatchee Bay, Florida, 659, 700
chromium, 319, 494

© 1997 Estuarine Research Federation

chrysene, 700
Chundra Bay, Australia, 291
Cirsium vulgare, 807
Cladotanytarsus spp., 149
climate controls, 689
Clymenella torquata, 149
coastal bays, 319
coastal wetlands, 301
cobalt, 494
code goby, 450
Coelotanypus spp., 149
Coenagrionidae sp., 86
coho salmon, 792
Columbia River, 262
community structure, 450, 677
consumers, 77
contamination, 319
Conwy Estuary, North Wales, 559
Conyza bonariensis, 807
copper, 66, 319, 483, 494, 659, 710
Corbicula, 86
cordgrass, 569, 579, 770
coring, 569
Corophium acherusicum, 319, 677
Corpus Christi Bay, Texas, 159, 659, 700, 725
Cotula australis, 807
Cotula coronopifolia, 807
cover density, 589
Cr(II)-reducible sulfide, 640
crab holes, 291
crab megalopae, 467
Crassostrea gigas, 430
Crassostrea virginica, 710
created marsh, 42
created slough, 792
cromium, 640
Cryptocotyle, 646
Curculionidae sp., 42
currents, 14, 559
cyanobacteria, 404, 725
Cyathura, 86
Cyathura madelinae, 42
Cyathura polita, 149
cycling of nutrients, 231
Cynodon dactylon, 807
Cynoscion nebulosus, 450
Cyperus, 579
Cyprinodon variegatus, 214
Cyrtopleura costata, 149

Daphnia magna, 646
darter goby, 450
day-night cycle, 312
DDT, 659, 700
dead stands, 640
dead-end canals, 319
decapod crustaceans, 199
decapods, 214
decay rate coefficient, 96
decomposition rates, 96
decomposition, 579
Delaware Bay, 312
deltaic gain and loss, 1
denitrification, 365, 626
depuration, 710
detritus, 96, 467
development, 319
diagenetic hydrocarbons, 281
Diamysis bahirensis, 677
diatom(s), 66, 404, 547, 725
diazinon, 700
dibenz [ah] anthracene, 700
dieldrin(s), 659, 700
diethyldithiocarbamate, 66
2,6-dimethylnaphthalene, 700
dinoflagellates, 430
Diopatra cuprea, 149
Dipper Harbour, New Brunswick, 689
discharge, 174
dissolved hydrocarbons, 281
dissolved inorganic phosphorus, 253
dissolved inorganic carbon, 346, 381
dissolved inorganic nitrogen, 159, 253, 365, 569, 601, 626, 759
dissolved nitrogen, 319, 346, 521
dissolved nutrients, 521
dissolved organic nitrogen, 253
dissolved organic carbon, 404, 640
dissolved oxygen, 231, 328, 346, 483, 743, 779
dissolved phosphate, 231
dissolved phosphorus, 319
dissolved sulfide, 346
Distichlis spicata, 770
disulfoton, 700
dithiocarbamate, 66
Doboy Sound, Georgia, 214
Dosinia discus, 149
drainage, 569
dredge spoil, 1
dredging, 1
Dreissena polymorpha, 504
drying estuarine sandbanks, 559
Duplin River, Georgia, 214
Dusky pipefish, 450
dwarf seahorse, 450

early life stages, 214, 779
ecosystem responses, 504
ecosystem stress, 48
eelgrass, 601
Elasmopus laevis, 319
Eleocharis, 579
Eleocharis parvula, 77
Elimia, 86
Enallagma, 86
enclosed monoculture ponds, 677
endosulfan I, 700
endosulfan II, 700
endosulfan sulfate, 700
endrin, 700
Ensis directus, 149
Environmental Monitoring and Assessment Program, 700
Equilibrium Resource Competition Theory, 725
equivalent spherical radii, 467
erosion, 1
Escambia River, Florida, 700
estuarine variability, 124
Estuarine Biotic Integrity Index, 601
ethion, 700
Eucinostomus argenteus, 450
eutrophication, 231, 253, 319, 346, 365, 416, 430, 725
exchange, 346
exotic plants, 391
exotic species, 770
export(s), 253, 262, 312, 319

fecal matter, 14
fine particles, 467
fish(es), 86, 214, 450, 792
fish abundance, 601
fish age, 174
fish assemblages, 601
fish food, 14
fish larvae, 450, 467
fish migration, 504
Florida Bay, 743
fluoranthene, 700
fluorene, 700
flux(es), 103, 231, 312, 346
flux calculations, 262
food availability, 430
food source, 86
forests, 291
Fraser River Estuary, British Columbia, 96
Freeport Harbor, Texas, 700
freshwater discharge, 430
freshwater flow, 365
freshwater inflow, 124, 159, 404
fucoxanthin, 404
Fundulus diaphanus, 77
Fundulus heteroclitus, 214, 618
Fundulus luciae, 214
fyke net, 792

Galveston Bay, 312
Galveston Bay, Texas, 659, 700, 710
Gammarus, 86
Gammarus duebeni, 646
Gammarus insensibilis, 646
Gammarus palustris, 42
Gamtoos Estuary, South Africa, 124
Gastropoda sp., 42
gear selection, 199
Gemma gemma, 319
genetic structure, 646
geochemistry, 328
geological compaction, 1
geomorphology, 504
Georgia rivers, 262
Geukensia demissa, 134
Glaux, 689
Glycera americana, 149
Glycinde solitaria, 149, 319
Glyptotendipes spp., 149
Gobiidae, 214
Gobiidae spp., 450
Gobioides broussoneti, 450
Gobiomorphus breviceps, 646
Gobionellus boleosoma, 450
Gobiosoma bosc, 450
Gobiosoma robustum, 450
Goby sp., 450
Grays Harbor, Washington, 312, 792
Great Bay, New Jersey, 659
green algae, 725
green goby, 450
Gulf menhaden, 450
Gulf of Mexico, 1, 700
Gulf of Maine, 14
Gulf pipefish, 450
Gymnocephalus cernuus, 504

Haber cf. *speciosus*, 149
habitat characteristics, 589
habitat degradation, 601
habitat management, 96

habitat quality, 601
habitat use patterns, 618
Halocladius varians, 677
Halodule wrightii, 450
Harengula jaguana, 450
heavy metals, 319
Helobdella, 86
hepatic chemistry, 659
heptachlor, 700
heptachlor epoxide, 700
Heron Bay, Mississippi, 659
Heteranthera dubia, 86
Heteromastus filiformis, 319
hexachlorobenzene, 700
Hexagenia, 86
high-resolution mapping, 365
Hippocampus zosterae, 450
historical comparison, 253
Hobsonia florida, 42
horizontal transport processes, 328
horizontal mixing rates, 328
host selection, 441
Hudson River, 381
human-made channels, 1
Humbolt Bay, California, 759
Hunter River, Australia, 807
hurricane impacts, 301
Hydracarina, 86
Hydrilla verticillata, 86
Hydrobia minoricensis, 677
Hydrobia ulvae, 677
Hydrobia ventrosa, 646, 677
Hydrobiidae, 86
hydrocarbon distributions, 281
Hydrocotyle umbellata, 579
hydrodynamics, 14
hydrologic management, 301
hydrology, 504
Hydroptila, 86
Hydroptilidae sp., 86
8-hydroxyquinoline, 66
Hypereteone heteropoda, 149, 319
Hypochaeris radicata, 807
hypoxia, 328

icthyoplankton, 450
imports, 262
in situ, 759
indeno[1, 2, 3-cd]pyrene, 700
Indian River, Delaware, 231, 319
Indian River Bay, Delaware, 231
indicators, 48
infaunal communities, 42
inorganic fine materials, 467
interstitial water salinity, 48
intertidal habitats, 618
intertidal marshes, 214
introduced species, 770
Iphinoe trispinosa, 677
iron, 291, 416, 494, 569, 659, 710
Isochaetides curvosetosus, 149
Isochaetides freyi, 149

Jamaica Bay, New York, 134
Jaumea carnosa, 770
Juncus acutus, 807
Juncus kruassii, 807
Juncus roemerianus, 42, 77, 579, 640
Juncus usitatus, 807
juvenile fish, 792
juvenile salmon, 96
juvenile tautog, 589

Kaneoke Bay, 365
Kooragang Island, New South Wales, Australia, 807

Laeonereis culveri, 319
Lagodon rhombiodes, 450
Laguna Madre, Texas, 450, 659
Lake de Cade, Louisiana, 48
land loss, 301, 504, 579
Land Margin Ecosystem Research, 262
larvae, 779
larval-stage growth, 174
Lavaca Bay, Texas, 659
leaching, 494
lead, 319, 483, 494, 504, 659, 710
least puffer, 450
Leiostomus xanthurus, 77, 450
Leitoscoloplos fragilis, 149
Leptoceridae sp., 86
Leptochelia dubia, 534
light attenuation, 231
light availability, 521
limiting nutrients, 416
Limnodrilus hoffmeisteri, 149
lined sole, 450
Listriella clymenellae, 149
lithium, 494
litter bag experiments, 96
litter bags, 579
Littorina irrorata, 77
liver pathology, 659
living stands, 640
Logan River, Australia, 521
Loimia medusa, 149
Long Island Sound, New York, 328, 659
Luanhe Estuary, China, 110
Lumbrineridae, 319
Lyngbyei's sedge, 96
Lythrum hyssopifolia, 807
Lythrum salicaria, 96

Macoma balthica, 149
macroalgae, 253, 601
macrobenthic community structure, 159
Macroclymene zonalis, 149
macrofauna community structure, 159
macroinvertebrate community, 677
macroinvertebrates, 86, 504
macrophyte beds, 86
Maine, 14
management, 96, 301, 319, 504, 677, 725, 770
manatee grass, 450
manganese, 483, 494, 659
mangrove(s), 103, 214, 291
Marenzelleria virdis, 149
marsh elevation, 579
marsh hydrology, 301
marsh periwinkle, 77
Massachusetts Bay, Massachusetts, 365, 626
Mediomastus ambiseta, 149, 159
Mediomastus spp., 319
meiofauna, 547
Meiogymnophalls fossarum, 646
Melampus bidentatus, 77
Melilotus indica, 807
Menidia menidia, 77
Menidia penisulae, 450
Mercenaria mercenaria, 149
mercury, 483, 659
Merrimac River, Massachusetts, 659
mesohaline marshes, 579
metal accumulation, 483
metal partitioning, 494
metal transport, 66
metals, 494
methylnaphthalene, 700
methylphenanthrene, 700
Meuse River, The Netherlands, 504
microalgae, 534, 547
microbenthic community, 547
microcosms, 569
microenvironment, 579
Microgobius thalassinus, 450
Microphallus papillorobustus, 646
Microphiopholis atra, 149
Micropogonias undulatus, 659
Microdeutopus gryllotalpa, 677
mirex, 700
Mississippi River, 1, 301, 700
Mississippi River Delta, Louisiana, 659
mixing zone, 110
mobile nekton, 214
Mobile Bay, Alabama, 312, 659
Mobile River, Alabama, 700
mollusc, 646
Monie Bay, Maryland, 77
monoculture lagoons, 677
Monopylephorus parvus, 42
Monopylephorus rubronivens, 42
Moreton Bay, Australia, 521
Morone americana, 77
Morone saxatilis, 174
mortality, 174
Mulina lateralis, 149, 159, 319
multimetric benthic index, 149
mummichog, 618
Mya arenaria, 149
Myriophyllum spicatum, 86
Mytilus edulis, 430

N:P ratios, 110
naked goby, 450
nannoplankton biomass, 134
nanoplankton, 759
naphthalene, 700
Narragansett Bay, Rhode Island, 253, 365, 589, 659
Narragansett, Rhode Island, 618
Nassarius obsoletus, 646
Nassarius reticulatus, 646
National Ocean Survey, 312
Neches River, Texas, 404
Nectopsyche, 86
needle rush, 640
Nehalennia, 86
nekton, 199, 214, 601
Nematoda, 86
Nephtys picta, 149
Nereis diversicolor, 677
Neureclipsis, 86
New York Bay, 365
Newport Bay, Maryland, 319
Niantic Bay, Connecticut, 659
nickel, 66, 319, 494, 659
nitrate, 110, 231, 430, 504, 743
nitrate flux, 103
nitrate/nitrite, 319, 346, 365

nitrification, 626, 743
nitrite, 110, 231, 504, 743
nitrogen, 110, 231, 253, 291, 319, 579
nitrogen enrichment, 521
nitrogen flow, 365
nitrogen limitation, 521, 759
nitrogen loading, 365
nitrogen losses, 626
nitrous oxide, 346
Nitzschia closterium, 416
North Edisto Inlet, South Carolina, 467
North Queensland, Australia, 291
North Sea, 504
Nucula proxima, 149
Nueces Bay, Texas, 159, 725
numerical models, 14
nursery areas, 589
nursery grounds, 504
nutrient cycling, 346
nutrient enrichments, 759
nutrient exhcange, 231
nutrient inputs, 253
nutrients, 110, 231, 262, 291, 319, 346, 365, 416, 430, 521, 569, 579, 626, 640, 725

Occupacia Creek, Virginia, 779
Octosporea effeminans, 646
Oecetis, 86
Oligochaeta, 319
oligochaetes, 86
Oligoplites saurus, 450
Oncorhynchus, 792
Oncorhynchus kisutch, 792
Oncorhynchus tshawytscha, 792
Opisthonema oglinum, 450
Orchestia uhleri, 42
organic coatings, 534
organic fine materials, 467
organic ligands, 66
organic marsh soils, 579
organic matter, 346
organic-metal complexes, 66
organochlorine pesticides, 700
organometallic compounds, 700
organophosphate pesticides, 700
Oriopsis sp., 677
Orthotrichia, 86
Osmerus eperlanus, 504
otolith, 174, 792
Oxyethira, 86
oxyfluorfen, 700
oxygen, 547
oxygen consumption, 328
oxygen profiles, 547
oxygen uptake, 346
oxygenation, 547

Padilla Bay, Washington, 759
Palaemonetes pugio, 77, 214
Pamlico Sound, North Carolina, 659
Paraprionospio pinnata, 149
parasitism, 646
Pariambus typicus, 677
particulate carbon, 743
particulate hydrocarbons, 281
particulate matter, 430
particulate organic carbon, 404, 430, 450
Pascagoula River, Mississippi, 700
Paspalum dilatatum, 807
PEG-Model, 725
Penaeus sp., 214
Pennisetum cladestinum, 807
Pensacola Bay, Florida, 659, 700
Perca fluviatilis, 504
Perioculodes longimanus, 677
perylene, 700
pesticides, 319
phenanthrene, 700
phosphate, 110, 159, 231, 759
phosphorus, 48, 253, 291, 346, 430, 521, 569
photosynthesis, 759
Phragmites australis, 77, 504
Physidae, 86
phytoplankton, 77, 253, 346, 430, 467, 521, 725, 759
pigment biomarkers, 404
pinfish, 450
Planorbidae, 86
plant commnities, 42
plant community, 391, 450, 689
plant growth, 391, 569, 770
plant material, 579
Plantago lanceolata, 807
Plantago maritima, 689
Platichthys flesus, 504
Pleistophora intestinalis, 646
Pleuronectes americanus, 659
Pluchea camphorata, 579
Plum Island Sound, 262
Po River, Italy, 416
Podiceps cristatus, 504
Poecilia latipinna, 214
pollution, 346, 365, 483, 494, 504, 521, 547, 659, 700, 710, 725, 743, 759
polychlorinated biphenyls, 319, 659, 700
polyculture lagoons, 677
polycyclic aromatic hydrocarbons, 281, 319, 659
Polydora cornuta, 319
Polydora sp., 677
Polygonum, 579
Polygonum aviculare, 807
Polymesoda caroliniana, 42
polynuclear aromatic hydrocarbons, 659, 700
Polypedilum tripodura, 149
Polypogon monspeliensis, 391
porewater, 159, 569, 626
Port of Tacoma, Washington, 441
Port of Everett, Washington, 441
Portsmouth Harbor, 312
Potamogeton pusillus, 86
Potamothrix vejdovskyi, 149
potassium, 48, 291
Potomac River, 86, 174
prey and predators, 646
primary producers, 77, 231, 626
primary production, 381
Procladius sublettei, 149
production, 134
productivity, 253, 521
Puget Sound, Washington, 759
purple loosestrife, 96
pyrene, 700
pyrite, 640

Quistadrilus multisetosus, 149

radon, 328
rainfall, 174
Rangia cuneata, 149
Rappahannock River, Virginia, 779
Raritan Bay, New York, 659
Raritan Bay, New Jersey, 659
reactive phosphate, 110
reactive phosphorus, 743
recruitment, 174, 589, 770
red drum, 450
Redfield ratio, 346
Redfish Bay, Texas, 450
Rehoboth Bay, Delaware, 231, 319
remobilization, 110
residence times, 404
resident nekton, 214
residential development, 319
resource allocation, 134
restoration, 42, 504, 792
Rhine River, The Netherlands, 504
Rhine-Meuse Delta, The Netherlands, 504
Rhizophora apiculata, 291
Rhizophora stylosa, 291
ribbed mussel populations, 134
river discharge, 404
riverine-estuarine systems, 110
root distribution, 640
Rumstick Cove, Rhode Island, 618
runoff, 124
Ruppia maritima, 77
Rutilus rutilus, 504

Sabine River, Texas, 404
Sabine-Neches estuary, Texas, 404
Salem Harbor, Massachusetts, 659
Salicornia, 689
Salicornia subterminalis, 391
Salicornia virginica, 770
salinity, 103, 159, 365, 391, 430, 559, 579, 589, 710, 743, 779
salinity gradients, 48
salinity reduction, 569
salinity stratification, 124
salmon, 792
salt addition, 391
salt balance, 103
salt flux, 103
salt wedge, 124
salt-marsh grass, 48
salt-marsh mussel, 134
salt-marsh snail, 77
saltwater intrusion, 504
samphire, 807
sampling design, 199
San Antonio Bay, Texas, 659
San Diego Bay, California, 312, 391
San Francisco Bay, California, 66, 312, 365
Sapelo Sound, Georgia, 659
Sarcocornia quinqueflora, 807
Savannah River, 312
scalar flux estimation, 262
scaled sardine, 450
Schoenoplectus robustus, 42
Sciaenid sp., 450
Scianidae spp., 450
Sciaenops ocellatus, 450
Scirpus, 504
Scirpus americanus, 579

Scoletoma tenuis, 319
sea-level rise, 1
seagrass meadows, 450
seagrasses, 253
seasonal cycles, 381
seawater density, 365
sediment(s), 1, 159, 231, 291, 319, 346, 483, 494, 504, 534, 547, 569, 589, 626, 700
sediment denitrification, 365
sediment deposition, 301
sediment flux, 231, 328
sediment load, 547
sediment particle size, 534
sediment redox, 346
seed germination, 770
Seine Estuary, 281
Seine River, 281
seines, 199
selenium, 659
semi-enclosed polyculture lagoons, 677
Senecio madagascariensis, 807
sewage, 725
sewage sludge, 346
sewage treatment works, 483, 494
shallow estuarine habitats, 199
shell growth, 134
shipworm, 441
shoal grass, 450
shore shrimp, 77
shrimp postlarvae, 467
Shuangtaizihe Estuary, China, 110
silicate, 110, 159, 346, 416
silver, 319, 483, 494, 659, 710
silver perch, 77, 450
silverside sp., 450
silversides, 77
simulated microhabitat, 214
small fishes, 199
small-scale spatial variation, 159
snails, 646
Snohomish River Estuary, Washington, 441
sodium, 48
soil redox potential, 48
soil saturation, 391
soils, 291
Sole sp., 450
Soleidae spp., 450
somatic growth, 134
Spartina alterniflora, 42, 77, 569, 689
Spartina cynosuroides, 42, 77
Spartina densiflora, 770
Spartina patens, 48, 77, 579, 689
spatial variation, 159
spawning, 779
Spergularia rubria, 807
Sphoeroides parvus, 450
Spiochaetopterus costarum, 149
Spiophanes bombyx, 149
Spisula solidissima, 149
Sporobolus africanus, 807
Sporobolus virginicus, 807
spot, 77, 450
spotfin mojarra, 450
spotted seatrout, 450
spring bloom, 430
Squilla empusa, 149
St. Andrews Bay, Florida, 659
St. Johns River, Florida, 659
stable isotopes, 77
Stellwagen Basin, Massachusetts, 626
Stenotaphrum secundatum, 807
Stizostedion lucioperca, 504
Strait of Georgia, 96
Streblospio benedicti, 42, 149, 159, 319
Streblospio srhubsolii, 677
striped bass, 174
striped anchovy, 77, 450
Stylaira, 86
sublethal stress, 48
submersed aquatic vegetation, 86
subsidence, 579
sulfate, 569, 640
sulfate depletion, 640
sulfide(s), 48, 569
sulfur, 291, 569
sulfur cycling, 569
sulfur isotopes, 77
Sungai Merbok, Malaysia, 103
survival of larvae, 174
suspended matter, 262
Sweetwater Marsh, California, 391
Syllides sp., 677
Syngnathus floridae, 450
Syngnathus louisianae, 450
Syngnathus scovelli, 450
Syngnatus typhle, 646
Syringodium filiforme, 450

Tadorna tadorna, 504
Tagelus divisus, 149, 319
Tagelus plebeius, 149
Tampa Bay, 312
tanaid crustacean, 534
Tanypus spp., 149
Tapes semidecussata, 430
Tautoga onitus, 589
Tellina agilis, 149, 319
terbufos, 700
Terrebonne Basin, Louisiana, 301, 579
terrestrial runoff, 77
Thalassiosira pseudonana, 416
Thalassiosira weissflogii, 66
Thames Estuary, United Kingdom, 483, 494
Tharyx sp., 319
tidal current velocities, 467
tidal currents, 312
tidal cycle, 559
tidal diffusion, 103
tidal exchange, 319, 365
tidal flushing, 807
tidal-freshwater, 381
tidal rectification, 559
tidal residual currents, 559
tidal restrictions, 569
tidal stages, 467
tidal wave, 559
tidal wetlands, 42
tides, 14
tidewater silverside, 450
Tilbury Basin, United Kingdom, 494
Tilbury Tidal Basin, United Kingdom, 483
tin, 659
Tomales Bay, 262
topography, 559
total carbon, 159
total carbon dioxide, 346
total nitrogen, 103, 159, 231, 365, 743
total nutrients, 521
total organic carbon, 159, 319, 743
total organic nitrogen, 743
total phosphate, 110, 504
total phosphorus, 743
total suspended particulate, 404
toxaphene, 700
toxic elements, 659
trace metal concentrations, 48
trace metals, 262, 659, 710
trans-nonachlor, 700
transport, 103, 262, 312, 328
trawls, 199
Triaenodes, 86
tributyltin, 700
Triglochin, 689
Triglochin striatum, 807
2,3,5-trimethylnaphthalene, 700
tube building, 534
tubificid immatures without capilliform chaetae, 149
Tubificoides heterochaetus, 42
Turbellaria, 86
turbidity, 521, 743

urea, 346

Vallisneria americana, 86
Valvata, 86
vegetated flats, 86
vegetation, 42, 48
vegetative expansion, 770
Venerupis aurea, 646
vertical transport processes, 328
Vicia saliva, 807
violet goby, 450

Waquoit Bay, Massachusetts, 262, 601
water birds, 504
water-column communities, 86
water column consumption, 328
water quality, 319, 365, 404, 430, 504, 743
waterlogged peat, 569
weir, 199
wetland habitat, 807
wetland loss, 1
wetlands, 42, 646
white perch, 77
White Lake, Louisiana, 700
Whitewater Bay, Florida, 743
winter flounder, 659
Winyah Bay, South Carolina, 42

γ-hexachlorocyclohexane (lindane), 700
Yalujiang Estuary, China, 110
Yaquina Bay, Oregon, 534
Yellow Sea, 110

zeaxanthin, 404
zebra mussel, 504
zinc, 319, 483, 494, 659, 710
zooplankton, 467